

Certificates for Chris French

Basic Information

First Name	Chris
Last Name	French
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Wallace-Kuhl & Associate	David T. Hunn	3050 Industrial Blvd., West Sacramento, California 95691	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-12-05	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-12-05	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-12-05	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-12-05	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-12-05	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 227 Cleaness Value (JTCP - S&A)	2019-12-05	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2019-12-05	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 301 "R" Value	2023-01-19	Active	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2023-01-19	Active	Jackie Treat	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-01-19	Active	Jackie Treat	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-01-19	Active	Jackie Treat	Lab 1	(No comments)
CT 366 Stabilometer	2023-01-19	Active	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-01-19	Active	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					