

Certificates for Todd Estes

Basic Information

First Name	Todd
Last Name	Estes
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Butte County	Todd Estes	11 County Center drive, Oroville, California 95965	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-05-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-05-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-05-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-05-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-05-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-05-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-05-05	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2023-04-15	Active	Jackie Treat	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2023-04-29	Active	Husam Makhoul	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-04-14	Active	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-04-14	Active	Jackie Treat	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2018-04-18	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-04-14	Active	Jackie Treat	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-04-14	Active	Jackie Treat	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-04-14	Active	Jackie Treat	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-04-14	Active	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2023-04-14	Active	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)

Unofficial Copy