

## Certificates for Camille Adler

### Basic Information

|                   |         |
|-------------------|---------|
| <b>First Name</b> | Camille |
| <b>Last Name</b>  | Adler   |
| <b>Status</b>     | Active  |

### Associated Labs

| Lab Name          | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. |                      |              |                  |            |

### Test Methods

#### California Test (CT) Certifications

Total 13 items.

| Test Method   | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope | Comments         |
|---|-----------------|---------|-----------------|---------------------|------------------|
| CT 105 Calculations -<br>Gradings (JTCP - HMA I<br>/ S&A) | 2023-06-30      | Expired | Afsaneh Ostovar | (No lab)            | (No<br>comments) |

| Test Method  | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|-----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)          | 2022-03-22      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 125 CEM Sampling - CEM                                      | 2021-03-22      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 125 GEN Sampling - GENERAL                                  | 2021-03-22      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                       | 2022-03-22      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2019-05-11      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)    | 2019-05-11      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage                      | 2021-03-22      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 375 AC Density by Nuclear Gage                              | 2021-03-22      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)                    | 2019-05-11      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |

| Test Method                                | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|-----------------|---------------------|---------------|
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2019-05-11      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC)            | 2019-05-11      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC)      | 2019-05-11      | Expired | Afsaneh Ostovar | (No lab)            | (No comments) |

### AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |