

Certificates for Ramil Sarmiento

Basic Information

First Name	Ramil
Last Name	Sarmiento
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Orange Materials Lab	Vinh Tran	1152 E. Fruit Street, Santa Ana, CA 92701	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-03-22	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-03-15	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2023-02-11	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-03-15	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-03-22	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-03-15	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-05-11	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-03-22	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2021-03-22	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-03-22	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 366 Stabilometer	2021-03-22	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-02-11	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2021-03-22	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-05-11	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-05-11	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2017-05-28	Expired	Afsaneh Ostovar	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					