

Certificates for Tommy Nguyen

Basic Information

| | |
|-------------------|--------|
| First Name | Tommy |
| Last Name | Nguyen |
| Status | Active |

Associated Labs

| Lab Name | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. | | | | |

Test Methods

California Test (CT) Certifications

Total 4 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---------------------|---------------|
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2018-06-01 | Expired | Afsaneh Ostovar | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|-----------------|---------------------|---------------|
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2018-06-01 | Expired | Afsaneh Ostovar | (No lab) | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2018-06-01 | Expired | Afsaneh Ostovar | (No lab) | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2018-06-01 | Expired | Afsaneh Ostovar | (No lab) | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |