

Certificates for Kang Chieh Lin

Basic Information

First Name	Kang Chieh
Last Name	Lin
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Hushmand Associates, Incorporated	Ashkaan Hushmand	250 Goddard, Irvine, CA 92618	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2024-01-30	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 203 Test for Mechanical Analysis of Soils	2024-02-07	Expired	Ashley Shaw	(No lab)	(No comments)
CT 204 LL, PL, PI	2024-02-07	Expired	Ashley Shaw	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-10-01	Incomplete	Sarbjit Grewal	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-01-30	Expired	Ashley Shaw	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-01-30	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 208 Apparent SpG - Fine Aggregates	2024-01-30	Expired	Ashley Shaw	Lab 1	(No comments)
CT 209 SpG for Soil	2024-01-30	Expired	Ashley Shaw	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-10-01	Suspended	Ashley Shaw	(No lab)	Lab does not have CT 227 on TL-0113. Non participation in CSP. IA 68
CT 229 Durability (JTCP - S&A)	2024-10-01	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-11-15	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-11-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-01-30	Expired	Afsaneh Ostovar	(No lab)	Created based on CT521 certificate ID19896
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-01-30	Expired	Afsaneh Ostovar	(No lab)	Created based on CT521 certificate ID19896
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-11-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-11-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-11-15	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-11-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-11-15	Expired	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy