

## Certificates for Bill Lehman

### Basic Information

<b>First Name</b>	Bill
<b>Last Name</b>	Lehman
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
GEOCON	Joseph Vettel	6960 Flanders Drive, San Diego, CA 92121	11	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 366 Stabilometer	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 382 AC Content by Ignition Oven	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	Created based on CT521 certificate ID19955
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2019-05-05	Expired	Afsaneh Ostovar	Lab 1	Created based on CT521 certificate ID19955

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					