

Certificates for Adrian Martinez

Basic Information

First Name	Adrian
Last Name	Martinez
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 33 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Afsaneh Ostovar	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Afsaneh Ostovar	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Afsaneh Ostovar	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 366 Stabilometer	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2019-08-23	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-02-23	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-02-23	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2018-02-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-02-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-02-23	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-02-23	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-02-23	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2024-02-23	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-02-23	Active	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					