Certificates for Steve Axtens

Basic Information

First Name	Steve
Last Name	Axtens
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-04-28	Expired	Afsaneh Ostovar	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy