

Certificates for Ramon Calbay

Basic Information

First Name	Ramon
Last Name	Calbay
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Willdan Geotechnical	Chien-Chang Chen	1515 South Sunkist Street, Suite E, Anaheim, CA 92806	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 31 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-03-11	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2027-04-05	Active	Majid Fahrtoosh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-08-23	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2027-04-05	Active	Majid Fahrtoosh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2027-04-05	Active	Majid Fahrtoosh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-08-23	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-08-23	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-12-17	Suspended	Lauren Smith	Lab 1	Did not participate in the CSP CT 202 for 2022 calendar year. On behalf of IA 136.
CT 204 LL, PL, PI	2024-02-03	Expired	Ashley Shaw	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-03-11	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 209 SpG for Soil	2024-02-03	Expired	Ashley Shaw	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-12-17	Active	Soroosh Amelian	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-04-05	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-04-05	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-08-23	Active	Afsaneh Ostovar	Lab 1	Created based on CT521 certificate ID20286
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-08-23	Active	Afsaneh Ostovar	Lab 1	Created based on CT521 certificate ID20286

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-15	Expired	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					