

Certificates for Mark Lastufka

Basic Information

| | |
|-------------------|----------|
| First Name | Mark |
| Last Name | Lastufka |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|------------------------------------|-----------------|---|----------|------------|
| Smith Emery Laboratories - Anaheim | Carlos Lievanos | 1195 N. Tustin Ave., Anaheim, CA 92807 | 12 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 5 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 231 Relative Compaction - Nuclear Gage | 2015-11-10 | Expired | Ashley Shaw | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2015-12-16 | Expired | Ashley Shaw | Lab 1 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2015-12-16 | Expired | Ashley Shaw | Lab 1 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2015-12-16 | Expired | Ashley Shaw | Lab 1 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2015-12-16 | Expired | Ashley Shaw | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |