

Certificates for Sergio Licona

Basic Information

First Name	Sergio
Last Name	Licona
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2017-08-26	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-08-26	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2017-08-26	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-08-26	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2017-08-26	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-08-26	Expired	Ashley Shaw	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-08-26	Expired	Ashley Shaw	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2017-08-26	Expired	Ashley Shaw	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2017-08-26	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID21738
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2017-08-26	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID21738

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy