

## Certificates for Norman Biehn

### Basic Information

<b>First Name</b>	Norman
<b>Last Name</b>	Biehn
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
----------	----------------------	--------------	------------------	------------

No results found.

### Test Methods

## California Test (CT) Certifications

Total **15** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2021-09-14	Expired	Ashley Shaw	(No lab)	Date adjusted to make a three year cert IA 68

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-09-06	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-09-14	Expired	Ashley Shaw	(No lab)	Date adjusted to make a three year cert IA 68
CT 125 GEN Sampling - GENERAL	2021-09-14	Expired	Ashley Shaw	(No lab)	Date adjusted to make a three year cert IA 68
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-09-06	Expired	Ashley Shaw	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-05-12	Expired	Brandt Houchen	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-03-17	Expired	Gabriela Lopez	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-03-17	Expired	Gabriela Lopez	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-03-17	Expired	Gabriela Lopez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-03-17	Expired	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-03-17	Expired	Gabriela Lopez	(No lab)	(No comments)
CT 541 Flow Cone	2023-08-30	Expired	Brandt Houchen	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-03-17	Expired	Gabriela Lopez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-03-17	Expired	Gabriela Lopez	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-03-17	Expired	Gabriela Lopez	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					