

Certificates for Chris Di Blasi

Basic Information

First Name	Chris
Last Name	Di Blasi
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Ashley Shaw	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-10-27	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-10-27	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-10-27	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-10-27	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-10-27	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-10-27	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Ashley Shaw	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 301 "R" Value	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy