

Certificates for Matthew Farrington

Basic Information

First Name	Matthew
Last Name	Farrington
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2019-03-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2018-03-29	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-03-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 204 LL, PL, PI	2020-03-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2017-03-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-03-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-03-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-04-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-03-04	Expired	Ashley Shaw	(No lab)	(No comments)
CT 301 "R" Value	2020-03-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2020-03-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-03-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2020-03-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 366 Stabilometer	2020-03-16	Expired	Afsaneh Ostovar	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2021-09-06	Expired	Afsaneh Ostovar	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					