

Certificates for Russell Price

Basic Information

| | |
|-------------------|---------|
| First Name | Russell |
| Last Name | Price |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|--------------------------------|--------------|---|----------|------------|
| GMU Geotechnical, Incorporated | Mike Moscrop | 30336 Esperanza, Rancho Santa Margarita, CA 92688 | 12 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 14 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-----------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 125 ADMIX Sampling - ADMIXTURE | 2025-03-03 | Active | Majid Fahrtosh | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES | 2025-03-03 | Active | Majid Fahrtosh | Lab 1 | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS | 2025-03-03 | Active | Majid Fahrtosh | Lab 1 | (No comments) |
| CT 125 CEM Sampling - CEM | 2026-03-03 | Active | Majid Fahrtosh | Lab 1 | (No comments) |
| CT 125 GEN Sampling - GENERAL | 2026-03-03 | Active | Majid Fahrtosh | Lab 1 | (No comments) |
| CT 125 HMA Sampling - HMA | 2025-03-03 | Active | Majid Fahrtosh | Lab 1 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2018-03-29 | Expired | Ashley Shaw | Lab 1 | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2026-03-04 | Active | Ashley Shaw | Lab 1 | (No comments) |
| CT 375 AC Density by Nuclear Gage | 2025-03-03 | Active | Majid Fahrtosh | Lab 1 | (No comments) |
| CT 533 Ball Penetration - PCC | 2018-03-29 | Expired | Ashley Shaw | Lab 1 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2018-03-29 | Expired | Ashley Shaw | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------|---------------------|---------------|
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2018-03-29 | Expired | Ashley Shaw | Lab 1 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2018-03-29 | Expired | Ashley Shaw | Lab 1 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2018-03-29 | Expired | Ashley Shaw | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |