

Certificates for Frank Williams

Basic Information

First Name	Frank
Last Name	Williams
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
GMU Geotechnical, Incorporated	Mike Moscrop	30336 Esperanza, Rancho Santa Margarita, CA 92688	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2017-08-16	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2017-08-16	Expired	Ashley Shaw	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2017-08-16	Expired	Ashley Shaw	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2017-08-16	Expired	Ashley Shaw	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2017-08-16	Expired	Ashley Shaw	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2017-08-16	Expired	Ashley Shaw	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2017-08-16	Expired	Ashley Shaw	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					