

Certificates for Ahman Hicks

Basic Information

First Name	Ahman
Last Name	Hicks
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2017-06-06	Expired	Majid Fahrtoosh	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-06-06	Expired	Majid Fahrtoosh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2017-06-06	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-06-06	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2017-06-06	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-06-06	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2017-06-06	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-01-25	Active	Gabriela Lopez	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-01-25	Active	Gabriela Lopez	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2025-01-25	Active	Gabriela Lopez	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2017-06-06	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2017-06-06	Expired	Majid Fehrtosh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-01-25	Active	Gabriela Lopez	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-01-25	Active	Gabriela Lopez	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-01-25	Active	Gabriela Lopez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-01-25	Active	Gabriela Lopez	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-01-25	Active	Gabriela Lopez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					