

Certificates for Joseph Aguirre

Basic Information

First Name	Joseph
Last Name	Aguirre
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2018-04-20	Expired	Ashley Shaw	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2017-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2017-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2017-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2017-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-11-09	Expired	Chad Claxton	(No lab)	Created based on CT521 certificate ID41172
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-11-09	Expired	Chad Claxton	(No lab)	Created based on CT521 certificate ID41172
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-11-08	Expired	Chad Claxton	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-11-09	Expired	Brandt Houchen	(No lab)	(No comments)

AASHTO/ASTM Proficiencies



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy