

# Certificates for Eugene Frazier

## Basic Information

<b>First Name</b>	Eugene
<b>Last Name</b>	Frazier
<b>Status</b>	Active

## Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

## Test Methods

### California Test (CT) Certifications

Total **28** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-05-13	Expired	Ashley Shaw	(No lab)	2 year cert to match other 125 tests.
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 524 Flexural Strength of Rapid Strength - PCC	2020-10-17	Expired	Ashley Shaw	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2018-04-14	Expired	Ashley Shaw	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy