

Certificates for Eugene Frazier

Basic Information

First Name	Eugene
Last Name	Frazier
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **28** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-05-13	Expired	Ashley Shaw	(No lab)	2 year cert to match other 125 tests.
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 524 Flexural Strength of Rapid Strength - PCC	2020-10-17	Expired	Ashley Shaw	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2021-05-13	Expired	Ashley Shaw	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2018-04-14	Expired	Ashley Shaw	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-01-14	Expired	Jasdeep Sandhu	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy