

Certificates for Hector Heredia

Basic Information

First Name	Hector
Last Name	Heredia
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Ninyo and Moore	James Dalgity	475 Goddard, Ste. 200, Irvine, CA 92618	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 28 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-03-26	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-08-18	Active	Brandt Houchen	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 301 "R" Value	2024-06-16	Active	Ashley Shaw	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-08-18	Active	Brandt Houchen	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-06-16	Active	Ashley Shaw	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2024-06-16	Active	Ashley Shaw	Lab 1	Not Showing properly on Certificate or SIAD
CT 366 Stabilometer	2023-08-18	Active	Brandt Houchen	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2024-06-16	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 371 Moisture Induced Damage (TSR)	2024-06-16	Active	Ashley Shaw	Lab 1	Not Showing Properly on certificate or SIAD
CT 382 AC Content by Ignition Oven	2023-08-18	Active	Brandt Houchen	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-01-03	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-01-03	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-01-03	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-01-03	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-01-03	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-01-03	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-01-03	Expired	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-08-18	Active	Brandt Houchen	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-03-11	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-03-11	Active	Soroosh Amelian	Lab 1	Correction on issue date based of District 12 records.
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-03-11	Active	Soroosh Amelian	Lab 1	Correction on issue date based of District 12 records.
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-03-11	Active	Soroosh Amelian	Lab 1	Correction on issue date based of District 12 records.
AASHTO T283 Moisture Induced Damage (TSR)	2024-06-16	Active	Ashley Shaw	Lab 1	Not Showing Properly on Certificate or SIAD
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-03-11	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2023-06-30	Active	Brandt Houchen	Lab 1	Correction on issue date based of District 12 records.
AASHTO T324 Hamburg Wheel-Track	2023-06-30	Active	Brandt Houchen	Lab 1	Correction on issue date based of District 12 records.
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	Lab 1	Correction on issue date based of District 12 records.
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-03-26	Active	Soroosh Amelian	Lab 1	(No comments)