

Certificates for Garrett Mottle

Basic Information

First Name	Garrett
Last Name	Mottle
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2018-04-17	Expired	Chad Claxton	(No lab)	(No comments)
CT 204 LL, PL, PI	2018-04-17	Expired	Chad Claxton	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-04-17	Expired	Chad Claxton	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2018-04-17	Expired	Chad Claxton	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-04-17	Expired	Chad Claxton	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-04-17	Expired	Chad Claxton	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2018-04-17	Expired	Chad Claxton	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-04-17	Expired	Chad Claxton	(No lab)	Created based on CT521 certificate ID36086
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-04-17	Expired	Chad Claxton	(No lab)	Created based on CT521 certificate ID36086

AASHTO/ASTM Proficiencies

Total 2 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2018-04-17	Expired	Chad Claxton	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2018-04-17	Expired	Chad Claxton	(No lab)	(No comments)

Unofficial Copy