

Certificates for Eric Degener

Basic Information

First Name	Eric
Last Name	Degener
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Inc.	Matthew Ramos	13850 Cerritos Corporate Dr., Unit E, Cerritos, CA 90703	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2022-08-19	Active	Majid Fahrtosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2022-08-19	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-04-08	Expired	Brandt Houchen	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2018-04-08	Expired	Brandt Houchen	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-04-08	Expired	Brandt Houchen	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-04-08	Expired	Brandt Houchen	Lab 1	(No comments)
CT 366 Stabilometer	2018-04-08	Expired	Brandt Houchen	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2018-04-08	Expired	Brandt Houchen	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-04-08	Expired	Brandt Houchen	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2019-07-11	Expired	Brandt Houchen	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-07-11	Expired	Brandt Houchen	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-08-10	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-08-10	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2022-08-10	Expired	Majid Fahrtosh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					