

Certificates for Benito Palma

Basic Information

First Name	Benito
Last Name	Palma
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Group Delta	Michael Reader	1320 Simpson Circle, Anaheim, CA 92860	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 31 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-11-18	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-01-31	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-11-18	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-01-31	Expired	Ashley Shaw	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Chad Claxton	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-12-02	Expired	Chad Claxton	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-05-11	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-12-02	Expired	Chad Claxton	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2019-12-02	Expired	Chad Claxton	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-12-02	Expired	Chad Claxton	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-12-02	Expired	Chad Claxton	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2024-01-31	Expired	Ashley Shaw	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-01-31	Expired	Ashley Shaw	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2024-01-31	Expired	Ashley Shaw	Lab 1	(No comments)
CT 366 Stabilometer	2024-01-31	Expired	Ashley Shaw	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2024-01-31	Expired	Ashley Shaw	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-10-18	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-10-18	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-01-31	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID20846
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-01-31	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID20846
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-07-11	Expired	Brandt Houchen	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-01-31	Expired	Ashley Shaw	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-01-31	Expired	Ashley Shaw	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-10-18	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-10-18	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-10-18	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2019-10-18	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-10-18	Expired	Jasdeep Sandhu	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-11-18	Active	Dalton LaBoskey	(No lab)	(No comments)