

## Certificates for James Young

### Basic Information

<b>First Name</b>	James
<b>Last Name</b>	Young
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Group Delta	Michael Reader	1320 Simpson Circle, Anaheim, CA 92860	12	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2026-08-23	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert. IA 68

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-08-24	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert. IA 68
CT 125 BIT Sampling - BITUMINOUS	2026-08-23	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert. IA 68
CT 125 CEM Sampling - CEM	2026-08-23	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert. IA 68
CT 125 GEN Sampling - GENERAL	2026-08-23	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert. IA 68
CT 125 HMA Sampling - HMA	2026-08-23	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert. IA 68
CT 231 Relative Compaction - Nuclear Gage	2025-08-23	Active	Ashley Shaw	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-12-08	Expired	Ashley Shaw	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-01-19	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-01-19	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-01-19	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-01-19	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-01-19	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-01-19	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-01-19	Expired	Jasdeep Sandhu	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					