

## Certificates for Chris Acevedo

### Basic Information

<b>First Name</b>	Chris
<b>Last Name</b>	Acevedo
<b>Status</b>	Active

### Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
Sequoia Consultants	Ruben Jimenez	4395 East Lowell Street, Suite A, Ontario, CA 91761	8	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total **29** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-10-13	Active	Shaya Meisamifard	Lab 1, Lab 2	Adjusted to CTM 125 three year certs
CT 125 CEM Sampling - CEM	2025-10-13	Active	Shaya Meisamifard	Lab 1, Lab 2	Adjusted to CTM 125 three year certs
CT 125 GEN Sampling - GENERAL	2025-10-13	Active	Shaya Meisamifard	Lab 1, Lab 2	Adjusted to CTM 125 three year certs
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-10-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2024-10-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-05-13	Active	Ashley Shaw	Lab 1, Lab 2	Needs written tests next cycle.
CT 375 AC Density by Nuclear Gage	2025-03-21	Active	Afsaneh Ostovar	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2026-05-13	Active	Ashley Shaw	Lab 1, Lab 2	Needs written tests next cycle.
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2026-05-13	Active	Ashley Shaw	Lab 1, Lab 2	Needs written tests next cycle.
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2026-05-13	Active	Ashley Shaw	Lab 1, Lab 2	Needs written tests next cycle.
CT 524 Flexural Strength of Rapid Strength - PCC	2026-05-13	Active	Ashley Shaw	Lab 1, Lab 2	Needs written tests next cycle.
CT 533 Ball Penetration - PCC	2025-05-22	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					