

Certificates for John Amaro

Basic Information

First Name	John
Last Name	Amaro
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Chad Claxton	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Chad Claxton	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-02-02	Expired	Chad Claxton	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-02-02	Expired	Chad Claxton	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-02-02	Expired	Chad Claxton	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-02-02	Expired	Chad Claxton	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2017-03-03	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID20965
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2017-03-03	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID20965

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy