

## Certificates for John Amaro

### Basic Information

<b>First Name</b>	John
<b>Last Name</b>	Amaro
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Chad Claxton	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Chad Claxton	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-02-02	Expired	Chad Claxton	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-02-02	Expired	Chad Claxton	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-02-02	Expired	Chad Claxton	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-02-02	Expired	Chad Claxton	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2017-03-03	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID20965
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2017-03-03	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID20965

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy