

Certificates for Tom Dorsey

Basic Information

First Name	Tom
Last Name	Dorsey
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants Inc.	Ruben Jimenez	361 W. Grove Ave., Orange, CA 92865	12	Lab 1
Sequoia Consultants	Ruben Jimenez	4395 E. Lowell St. Suite A, Ontario, CA 91761	8	Lab 2
Sequoia Consultants Inc.	Ruben Jimenez	808 S. Hindry Avenue Unit F, Inglewood, CA 90301	7	Lab 3

Test Methods

California Test (CT) Certifications

Total 32 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2017-01-07	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-02-15	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2017-01-07	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2019-02-28	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2025-02-15	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-02-28	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA	2025-02-15	Active	Rabiul Hyder	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-02-15	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-02-10	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2019-03-21	Expired	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)
CT 370 Moisture Content by Microwave	2017-01-07	Expired	Ashley Shaw	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2019-03-21	Expired	Chad Claxton	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-10-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-10-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-10-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-01-22	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
CT 533 Ball Penetration - PCC	2020-01-22	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-10-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-10-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-10-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-10-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-10-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy