

Certificates for Brian Hernandez

Basic Information

First Name	Brian
Last Name	Hernandez
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants Inc.	Ruben Jimenez	361 W. Grove Ave., Orange, CA 92865	12	Lab 1
Sequoia Consultants Inc. Mobile Trailer # 5	Ruben Jimenez	361 W. Grove Ave., Orange, CA 92865	12	Lab 2
Sequoia Consultants	Ruben Jimenez	I-10 & Ford Dry Lake Road, Desert Center/ Blythe, CA 92225	8	Lab 3

Test Methods

California Test (CT) Certifications

Total 28 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2023-03-23	Active	Afsaneh Ostovar	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-03-23	Active	Afsaneh Ostovar	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2023-03-23	Active	Afsaneh Ostovar	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2023-03-23	Active	Afsaneh Ostovar	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-10-18	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-05-20	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2025-05-20	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-10-05	Active	Ashley Shaw	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-01-22	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-01-22	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2024-03-22	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-01-22	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-03-22	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-03-22	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2024-03-22	Active	Rabiul Hyder	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-01-22	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-01-22	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-01-22	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2026-01-22	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-01-22	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)