

## Certificates for Erik Jimenez

### Basic Information

<b>First Name</b>	Erik
<b>Last Name</b>	Jimenez
<b>Status</b>	Active

### Associated Labs

Total 7 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated - PCC Trailer #3	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 2
Sequoia Consultants, Incorporated - HMA Trailer #1	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 3
Sequoia Consultants, Incorporated - PCC Trailer #2, License Plate # 4ML9990	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 4
Sequoia Consultants	Ruben Jimenez	4395 East Lowell Street, Suite A, Ontario, CA 91761	8	Lab 5

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	3403 West El Segundo Boulevard, Hawthorne, CA 90250	7	Lab 6
Sequoia Consultants, Incorporated - PCC Trailer #4	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 7

## Test Methods

### California Test (CT) Certifications

Total 46 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2018-03-10	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-10-02	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-10-02	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 CEM Sampling - CEM	2019-10-02	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 GEN Sampling - GENERAL	2019-10-02	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 5	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-03-10	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 5, Lab 6	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-03-10	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 5, Lab 6	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2018-03-10	Expired	Ashley Shaw	Lab 2	(No comments)
CT 211 LA Rattler	2018-03-10	Expired	Ashley Shaw	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 2, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 229 Durability (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 5, Lab 6	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-09-20	Active	Ashley Shaw	Lab 1, Lab 2, Lab 5, Lab 6	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2019-10-02	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 235 Flat and Elongated Particles	2019-10-02	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 5	(No comments)
CT 301 "R" Value	2018-03-10	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2018-03-10	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 5	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-03-10	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 5, Lab 6	(No comments)
CT 309 Max SpG and Density - HMA	2018-03-10	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 5, Lab 6	(No comments)
CT 366 Stabilometer	2018-03-10	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2018-03-10	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 371 Moisture Induced Damage (TSR)	2018-03-10	Expired	Ashley Shaw	Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2024-09-29	Active	Shaya Meisamifard	Lab 2, Lab 5	(No comments)
CT 382 AC Content by Ignition Oven	2018-03-10	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-08-17	Active	Jackie Treat	Lab 1, Lab 2, Lab 5, Lab 6	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-08-17	Active	Jackie Treat	Lab 1, Lab 2, Lab 5, Lab 6	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-09-20	Active	Ashley Shaw	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 7	Created based on CT521 certificate ID20459
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-09-20	Active	Ashley Shaw	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 7	Created based on CT521 certificate ID20459
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-08-17	Active	Ashley Shaw	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-09-20	Active	Ashley Shaw	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2025-09-20	Active	Ashley Shaw	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2025-09-20	Active	Ashley Shaw	Lab 1, Lab 2, Lab 5, Lab 6	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-08-17	Active	Jackie Treat	Lab 1, Lab 2, Lab 5, Lab 6, Lab 7	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-08-17	Active	Jackie Treat	Lab 1, Lab 2, Lab 5, Lab 6, Lab 7	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-08-17	Active	Jackie Treat	Lab 2, Lab 5	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-08-17	Active	Jackie Treat	Lab 1, Lab 2, Lab 5, Lab 6	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-08-17	Active	Jackie Treat	Lab 1, Lab 2, Lab 5, Lab 6	(No comments)

## AASHTO/ASTM Proficiencies

Total **22** items.



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 5	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 5	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 5	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 5	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2025-04-20	Active	Donya Heidari	Lab 2, Lab 5	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2025-04-20	Active	Donya Heidari	Lab 2, Lab 5	(No comments)
AASHTO T96 L.A. Rattler	2025-04-20	Active	Donya Heidari	Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 2, Lab 5	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 5	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 2, Lab 3, Lab 5	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 5	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 5	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 2, Lab 5	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 2, Lab 3, Lab 5	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2025-04-20	Active	Donya Heidari	Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-04-09	Expired	Ashley Shaw	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-09-14	Active	Avinash Ralla	Lab 2, Lab 3	(No comments)
AASHTO T312 Gyrotory Compactor	2025-04-20	Active	Donya Heidari	Lab 2	(No comments)
AASHTO T324 Hamburg Wheel-Track	2025-04-20	Active	Donya Heidari	Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 2, Lab 5	(No comments)
ASTM D4791 Flat and Elongated Particles	2025-04-20	Active	Donya Heidari	Lab 2, Lab 5	(No comments)