

Certificates for Alexander Lazcano

Basic Information

First Name	Alexander
Last Name	Lazcano
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
Sequoia Consultants, Incorporated - HMA Trailer #1	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 2
Sequoia Consultants, Incorporated	Ruben Jimenez	3403 West El Segundo Boulevard, Hawthorne, CA 90250	7	Lab 3

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-11-15	Active	Shaya Meisamifard	Lab 1, Lab 3	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-11-15	Active	Shaya Meisamifard	Lab 1, Lab 3	(No comments)
CT 211 LA Rattler	2026-05-01	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2024-08-13	Expired	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 235 Flat and Elongated Particles	2024-11-15	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-08-17	Expired	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-08-17	Expired	Sarbjit Grewal	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2026-05-01	Active	Ashley Shaw	Lab 1, Lab 3	Created based on CT521 certificate ID21297
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2026-05-01	Active	Ashley Shaw	Lab 1, Lab 3	Created based on CT521 certificate ID21297
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-05-19	Expired	Seree Yenjai	Lab 1, Lab 3	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2026-05-01	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2026-05-01	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-08-17	Expired	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-08-17	Expired	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-08-17	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2024-08-17	Expired	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-08-17	Expired	Sarbjit Grewal	Lab 1, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-11-15	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-11-15	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-12-01	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-12-01	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-12-01	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-12-01	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2022-10-05	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-12-01	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Unofficial Copy