

Certificates for Ernesto Manzon

Basic Information

First Name	Ernesto
Last Name	Manzon
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
The Quality Firm	Ricardo Osorio	177 University Parkway, Pomona, CA 91768	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2024-05-26	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2024-05-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-05-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2024-05-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-05-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-05-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-01-31	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-10-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-10-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-10-28	Expired	Ashley Shaw	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-05-26	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 524 Flexural Strength of Rapid Strength - PCC	2022-05-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2020-03-25	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-10-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-10-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-10-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-10-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-10-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					