

Certificates for Esteban Perez

Basic Information

First Name	Esteban
Last Name	Perez
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-03-01	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-03-01	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-03-03	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID21360

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-03-03	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID21360
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-03-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-03-01	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-03-01	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-03-01	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-03-01	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2019-03-01	Expired	Biplab Bhattacharya	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy