

Certificates for Scott Powell

Basic Information

First Name	Scott
Last Name	Powell
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
CT D12 - Sequoia Consultants Field #2	Ruben Jimenez	33 41 21.9N 116 02 21.7W , Coachella, CA 92236	12	Lab 2

Test Methods

California Test (CT) Certifications

Total **28** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2023-06-22	Expired	Rabiul Hyder	Lab 1, Lab 2	Date adjusted to reflect a 3 year Certification
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-06-22	Expired	Rabiul Hyder	Lab 1, Lab 2	Date adjusted to reflect a 3 year Certification
CT 125 CEM Sampling - CEM	2023-06-22	Expired	Rabiul Hyder	Lab 1, Lab 2	Date adjusted to reflect a 3 year Certification
CT 125 GEN Sampling - GENERAL	2023-06-22	Expired	Rabiul Hyder	Lab 1, Lab 2	Date adjusted to reflect a 3 year Certification
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-06-22	Incomplete	Rabiul Hyder	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2026-03-10	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2026-05-18	Active	Benjamin Martinez	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-04-10	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-10-13	Expired	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-04-10	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2025-04-10	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2020-06-24	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					