

Certificates for Jairo Zepeda

Basic Information

First Name	Jairo
Last Name	Zepeda
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants Inc.	Ruben Jimenez	361 W. Grove Ave., Orange, CA 92865	12	Lab 1
Sequoia Consultants	Ruben Jimenez	4395 E. Lowell St. Suite A, Ontario, CA 91761	8	Lab 2

Test Methods

California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Chad Claxton	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 204 LL, PL, PI	2024-03-28	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-11-15	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2022-11-15	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 211 LA Rattler	2020-03-29	Expired	Chad Claxton	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-07-15	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 304 Sample Preparation - HMA	2023-08-19	Active	Brandt Houchen	Lab 1, Lab 2	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-11-20	Expired	Chad Claxton	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2018-11-20	Expired	Chad Claxton	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 366 Stabilometer	2023-08-19	Active	Brandt Houchen	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2019-07-13	Expired	Chad Claxton	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2020-12-16	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-12-16	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-12-16	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-12-16	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-11-15	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-11-15	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2022-11-12	Active	Ashley Shaw	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2019-02-22	Expired	Chad Claxton	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2022-11-12	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2022-11-12	Active	Ashley Shaw	Lab 1	(No comments)

Unofficial Copy