

Certificates for Thomas Myers

Basic Information

First Name	Thomas
Last Name	Myers
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **30** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	David Small	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-03-05	Expired	David Small	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-03-05	Expired	David Small	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-03-05	Expired	David Small	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-03-05	Expired	David Small	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	David Small	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-03-17	Expired	David Small	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-02-07	Expired	David Small	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-02-07	Expired	David Small	(No lab)	(No comments)
CT 211 LA Rattler	2020-09-13	Expired	David Small	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-03-17	Expired	David Small	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-03-17	Expired	David Small	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-03-17	Expired	David Small	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-03-17	Expired	David Small	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-03-17	Expired	David Small	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-02-07	Expired	David Small	(No lab)	(No comments)
CT 301 "R" Value	2021-06-18	Expired	David Small	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2021-06-18	Expired	David Small	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2021-02-07	Expired	David Small	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2021-02-07	Expired	David Small	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-03-23	Expired	David Small	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2021-03-05	Expired	David Small	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-03-05	Expired	David Small	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-03-05	Expired	David Small	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2021-03-05	Expired	David Small	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-02-19	Expired	David Small	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-02-19	Expired	David Small	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-03-23	Expired	David Small	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-02-19	Expired	David Small	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-02-16	Expired	David Small	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy