

## Certificates for Sharif Habibzadah

### Basic Information

|                   |            |
|-------------------|------------|
| <b>First Name</b> | Sharif     |
| <b>Last Name</b>  | Habibzadah |
| <b>Status</b>     | Active     |

### Associated Labs

Total **1** item.

| Lab Name        | Manager Name  | Full Address                                           | District | Page Alias |
|-----------------|---------------|--------------------------------------------------------|----------|------------|
| City of Oakland | Joseph Tanios | 7101 Edgewater Drive, Building 4,<br>Oakland, CA 94621 | 4        | Lab 1      |

### Test Methods

### California Test (CT) Certifications

Total **14** items.

| Test Method                                               | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments         |
|-----------------------------------------------------------|-----------------|---------|----------------|---------------------|------------------|
| CT 105 Calculations -<br>Gradings (JTCP - HMA I<br>/ S&A) | 2023-06-30      | Expired | David Small    | Lab 1               | (No<br>comments) |

| Test Method                                                     | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|-----------------------------------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2018-08-11      | Expired | David Small    | Lab 1               | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS                                | 2018-08-11      | Expired | David Small    | Lab 1               | (No comments) |
| CT 125 GEN Sampling - GENERAL                                   | 2018-08-11      | Expired | David Small    | Lab 1               | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                        | 2018-08-11      | Expired | David Small    | Lab 1               | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2023-06-30      | Expired | David Small    | Lab 1               | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2018-05-19      | Expired | David Small    | Lab 1               | (No comments) |
| CT 211 LA Rattler                                               | 2018-08-11      | Expired | David Small    | Lab 1               | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2018-08-11      | Expired | David Small    | Lab 1               | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                             | 2018-08-11      | Expired | David Small    | Lab 1               | (No comments) |

| Test Method                                                 | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|-------------------------------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2018-05-19      | Expired | David Small    | Lab 1               | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage                   | 2018-08-11      | Expired | David Small    | Lab 1               | (No comments) |
| CT 375 AC Density by Nuclear Gage                           | 2018-08-11      | Expired | David Small    | Lab 1               | (No comments) |
| CT 382 AC Content by Ignition Oven                          | 2018-08-11      | Expired | David Small    | (No lab)            | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |