

Certificates for Nasir Ahmad

Basic Information

First Name	Nasir
Last Name	Ahmad
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Parikh Consultants	David Wang	1497 North Milpitas Boulevard, Milpitas, CA 95035	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	David Small	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-07-02	Expired	David Small	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2021-07-02	Expired	David Small	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-07-02	Expired	David Small	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-04-26	Expired	Richard Hibbard	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-07-02	Expired	David Small	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2021-07-02	Expired	David Small	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2018-06-22	Expired	David Small	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-06-22	Expired	David Small	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-06-22	Expired	David Small	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-06-22	Expired	David Small	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-06-22	Expired	David Small	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy