

## Certificates for Justin Savage

### Basic Information

<b>First Name</b>	Justin
<b>Last Name</b>	Savage
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	David Small	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	David Small	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	David Small	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-07-21	Expired	David Small	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-07-21	Expired	David Small	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-07-21	Expired	David Small	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-07-21	Expired	David Small	(No lab)	(No comments)
CT 227 Cleaness Value (JTCP - S&A)	2019-07-21	Expired	David Small	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2019-07-21	Expired	David Small	(No lab)	(No comments)
CT 301 "R" Value	2019-03-22	Expired	David Small	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2019-07-21	Expired	David Small	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2017-06-11	Expired	David Small	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2017-06-11	Expired	David Small	(No lab)	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					