

## Certificates for Ruben Z Gonzalez

### Basic Information

<b>First Name</b>	Ruben Z
<b>Last Name</b>	Gonzalez
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
AME - Applied Materials & Engineering, Incorporated	Mohammed Faiyaz	980 41st Street, Oakland, CA 94608	4	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-07-15	Expired	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-06-21	Active	David Small	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-07-15	Expired	David Small	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2023-07-15	Expired	David Small	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-07-15	Expired	David Small	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-06-21	Active	David Small	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-08-13	Expired	David Small	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-06-21	Active	David Small	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-06-21	Active	David Small	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-10-12	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-10-12	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2017-08-13	Expired	David Small	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-10-12	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-10-12	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-10-12	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-10-12	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-10-12	Active	Shaya Meisamifard	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					