

Certificates for Andrew Bajuniemi

Basic Information

First Name	Andrew
Last Name	Bajuniemi
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Fugro Consultants	Andrew Bajuniemi	469 Roland Way, Oakland, CA 94621	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	David Small	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	David Small	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-11-16	Expired	David Small	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2017-08-20	Expired	David Small	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-11-02	Expired	David Small	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-08-20	Expired	David Small	Lab 1	(No comments)
CT 211 LA Rattler	2018-11-16	Expired	David Small	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2018-11-16	Expired	David Small	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2018-11-02	Expired	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-04-29	Expired	David Small	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-11-16	Expired	David Small	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-11-16	Expired	David Small	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-11-16	Expired	David Small	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-11-16	Expired	David Small	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2018-04-29	Expired	David Small	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2018-04-29	Expired	David Small	Lab 1	(No comments)
CT 301 "R" Value	2018-11-02	Expired	David Small	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2018-11-02	Expired	David Small	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-11-02	Expired	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2018-11-02	Expired	David Small	Lab 1	(No comments)
CT 366 Stabilometer	2018-11-02	Expired	David Small	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2018-11-02	Expired	David Small	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-11-02	Expired	David Small	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					