

Certificates for James Auser

Basic Information

First Name	James
Last Name	Auser
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
BSK Associates	Randy Cortez	399 Lindbergh Avenue, Livermore, CA 94551	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	David Small	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-03-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-03-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2018-06-23	Expired	David Small	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-06-23	Expired	David Small	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-06-23	Expired	David Small	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-03-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-03-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-03-26	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2026-03-26	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-03-26	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					