

Certificates for Benjamin Reeves

Basic Information

First Name	Benjamin
Last Name	Reeves
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D01 - Fortuna Field Laboratory	Dan Bornman	180 Dinsmore Drive (City of Fortuna Corporate Yard), Fortuna, CA 95540	1	Lab 1

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	David Small	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2027-05-16	Active	Alexis England	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2021-01-31	Expired	David Small	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-10-10	Active	Ed Gamboa	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-01-17	Expired	David Small	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-01-17	Expired	David Small	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2024-10-10	Active	Ed Gamboa	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-03-30	Active	David Medina	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-03-30	Active	David Medina	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-03-30	Active	David Medina	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-03-30	Active	David Medina	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-03-30	Active	David Medina	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-03-30	Active	David Medina	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-03-30	Active	David Medina	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-03-30	Active	David Medina	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T30 Mechanical Analysis of Extracted Aggregate	2025-06-13	Active	Alexis England	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)