

Certificates for Nate Hevle

Basic Information

First Name	Nate
Last Name	Hevle
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Kern	Nathan Hevle	4233 Foster Avenue, Bakersfield, CA 93308	6	Lab 1

Test Methods

California Test (CT) Certifications

Total **48** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2025-06-21	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2025-11-16	Active	Allen Oliver	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-11-16	Active	Allen Oliver	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2025-02-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-02-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-01-08	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-02-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 204 LL, PL, PI	2021-12-01	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2026-03-01	Active	Allen Oliver	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2026-03-01	Active	Allen Oliver	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2025-06-21	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 211 LA Rattler	2023-01-26	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-08-26	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2025-02-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2024-02-24	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 301 "R" Value	2025-10-25	Active	Allen Oliver	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2024-09-29	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2021-03-18	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-09-29	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2024-09-29	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 310 Hot Solvent Extraction	2018-06-09	Expired	Seree Yenjai	Lab 1	(No comments)
CT 366 Stabilometer	2024-09-29	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 367 OBC	2024-09-29	Active	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2024-08-26	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-02-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2024-08-26	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-11-09	Active	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-11-09	Active	Jackie Treat	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-11-16	Active	Seree Yenjai	(No lab)	Created based on CT521 certificate ID23056
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-11-16	Active	Seree Yenjai	(No lab)	Created based on CT521 certificate ID23056
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-01-24	Expired	Seree Yenjai	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-01-24	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-11-09	Active	Jackie Treat	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-11-09	Active	Jackie Treat	Lab 1	(No comments)
CT 541 Flow Cone	2025-02-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-11-09	Active	Jackie Treat	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-11-09	Active	Jackie Treat	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-11-09	Active	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					