

Certificates for Hoyt Griffith

Basic Information

First Name	Hoyt
Last Name	Griffith
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 34 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Seree Yenjai	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-10-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2020-10-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-10-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-10-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Seree Yenjai	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-06-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-08-23	Expired	Seree Yenjai	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-04-18	Expired	Seree Yenjai	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-08-23	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 208 Apparent SpG - Fine Aggregates	2020-03-06	Expired	Seree Yenjai	(No lab)	(No comments)
CT 211 LA Rattler	2018-12-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-06-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-06-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-06-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-09-28	Expired	Seree Yenjai	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-06-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 301 "R" Value	2020-10-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2020-03-06	Expired	Seree Yenjai	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-12-22	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2018-12-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 310 Hot Solvent Extraction	2018-08-23	Expired	Seree Yenjai	(No lab)	(No comments)
CT 366 Stabilometer	2020-03-06	Expired	Seree Yenjai	(No lab)	(No comments)
CT 367 OBC	2020-03-06	Expired	Seree Yenjai	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2020-08-21	Expired	Seree Yenjai	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2019-09-18	Expired	Seree Yenjai	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2020-08-21	Expired	Seree Yenjai	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-06-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-06-08	Expired	Seree Yenjai	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2020-06-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-05-17	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-07-25	Expired	Seree Yenjai	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-09-28	Expired	Seree Yenjai	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					