

Certificates for Jameson Farr

Basic Information

First Name	Jameson
Last Name	Farr
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **12** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2017-01-24	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2017-01-24	Expired	Seree Yenjai	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-05-17	Expired	Seree Yenjai	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-12-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2017-05-17	Expired	Seree Yenjai	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2017-01-24	Expired	Seree Yenjai	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2017-01-24	Expired	Seree Yenjai	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2017-12-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2017-08-23	Expired	Seree Yenjai	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2017-08-23	Expired	Seree Yenjai	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2017-08-23	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2017-08-23	Expired	Seree Yenjai	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					