

## Certificates for Pablo Gutierrez

### Basic Information

<b>First Name</b>	Pablo
<b>Last Name</b>	Gutierrez
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-01-21	Expired	Majid Fahrtoosh	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-02-03	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2024-02-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2024-02-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-02-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2022-02-03	Expired	Ashley Shaw	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-02-03	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID65888
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-02-03	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID65888

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					