

Certificates for Bryan Lightfoot

Basic Information

First Name	Bryan
Last Name	Lightfoot
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Geolabs Westlake Village	Larry Stark	3595 Old Conejo Road, Thousand Oaks, CA 91320	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-02-23	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2017-02-23	Expired	Seree Yenjai	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2017-02-23	Expired	Seree Yenjai	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2017-02-23	Expired	Seree Yenjai	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					